www.attwater.com



Date Generated: Saturday 15th of November 2025

B3 Product Data Sheet

BSEN60893-3-4-PFCP203 B3 Phenolic Paper Laminate SRBP

Material Details

Grade:	B3
Description:	Phenolic Paper. Electrical grade. Designed for immersion in oil.
Comments:	Designed for oil immersed and medium voltage applications. Better oil absorption than grade B1. Good electrical and mechanical properties. Water absorption intermediate between Grades B1 and B4.
Specifications:	BSEN60893-3-4-PFCP203 (Which supersedes BS2572 P2). The closest NEMA equivalent to this specification is NEMA XX
Body Colour:	Brown
Cover Colour:	Sepia Brown
Finish:	Satin/Glossy
Size:	1220 x 1220
	Thickness Range: 0.8 - 75.0

Typical Applications

- Busbar Supports
- Coil Formers
- High Voltage Insulation
- Mechanical Applications
- Pipeline Insulation
- Precision Machined Parts
- Terminal Boards and Tag Strips

General Properties

Property	Unit of measure	Typical Value
Density	g/cm3	1.35
Water Absorption	mg	75
Flammability Category¥		FH1

¥ Where relevant, the flammability test method is used solely to control and monitor consistency of production. Under no conditions should the results be considered in relation to fire hazards under actual conditions of use.

Electrical Properties

Property	Unit of measure	Typical Value
IR (24hrs Water Immersed)	GΩ	1.5
IR (Dry)	GΩ	1.5
Electric Strength (Flat Rapid)	MV/m	5.1
Breakdown Voltage (Edge Step by Step)	kV	21
Relative Permittivity @ 1 MHz		5.2
Dissipation Factor @ 1 MHz		0.04
Tracking Index	V	110

Mechanical Properties

Property	Unit of measure	Typical Value
Flexural Strength	МРа	170
Tensile Strength	MPa	105
Impact (Notched CHARPY)	kJ/m2	4

Thermal Properties

Property Unit of measure Typical Value
--

Thermal Rating Continuous	°C	105
Thermal Rating Intermittent	°C	120

Disclaimer: The above values are based upon routine test data and do not form the basis of a supply contract. These products may be used in a diverse range of applications and whilst every effort is made to ensure the information in this data sheet is accurate, it must be stressed that it is the user's responsibility to ensure suitability for the intended end use.

Source: https://www.attwater.com/products/b3/